

TABLE A7

Map of South Australia showing CURB Sub-regions with Local Government Areas.

New cases of cancer and standardized incidence ratios (SIR) with upper and lower 95% confidence limits (1977-1998) by site and sex for South Australian CURB Sub-regions.

South Australia showing CURB Sub-regions with Local Government Areas.
(Map rev. 1985)

Map included as separate PDF file

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

		CURB SUB-REGIONS																			
SITE	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
140. - 145., 173.0 BUCCAL CAVITY																					
MALE	508	519	425	572	106	13	47	80	109	59	138	117	55	118	126	27	82	2	132	97	11
SIR	883	856	735	861	1282	1276	997	1169	1422	1102	1613	1493	1202	1295	1957	1926	1502	1303	1881	1892	481
UPPER	964	934	809	935	1557	2198	1330	1463	1723	1432	1912	1796	1576	1556	2338	2806	1874	0	2238	2318	866
LOWER	808	785	668	792	1055	671	736	933	1173	847	1360	1240	914	1076	1637	1274	1202	0	1580	1542	235
FEMALE	187	221	259	253	24	5	14	25	39	20	36	31	18	27	47	6	23	1	35	26	4
SIR	974	903	927	916	813	1746	861	1009	1403	1014	1299	1211	1166	838	2221	1622	1346	2315	1359	1639	1106
UPPER	1127	1032	1049	1038	1210	0	1456	1490	1923	1563	1803	1721	1836	1221	2961	0	2020	0	1895	2403	0
LOWER	841	789	819	808	522	0	466	655	1002	620	914	826	690	554	1639	0	855	0	951	1074	0
140., 173.0 LIP																					
MALE	353	325	281	388	76	12	37	52	80	45	105	102	46	96	104	23	63	1	107	81	6
SIR	853	760	681	817	1286	1647	1090	1080	1487	1183	1726	1826	1402	1470	2259	2272	1609	926	2149	2197	359
UPPER	948	848	766	903	1619	2897	1506	1428	1860	1588	2098	2227	1875	1803	2749	3408	2072	0	2607	2746	0
LOWER	767	681	605	739	1020	837	771	815	1186	867	1418	1497	1031	1197	1855	1444	1246	0	1769	1756	0
FEMALE	92	125	132	143	16	4	11	19	23	16	22	22	9	14	41	5	18	0	29	17	2
SIR	831	878	792	884	926	2429	1159	1323	1422	1385	1371	1478	999	748	3335	2340	1832	0	1928	1854	975
UPPER	1024	1050	943	1044	1495	0	2087	2061	2133	2237	2075	2237	0	1264	4537	0	2886	0	2773	2955	0
LOWER	673	734	665	747	527	0	566	797	903	788	861	928	0	405	2404	0	1084	0	1296	1077	0
141. TONGUE																					
MALE	54	68	46	65	10	0	3	8	9	4	14	3	5	12	13	1	4	0	8	3	4
SIR	965	1089	808	985	1218	0	656	1117	1119	743	1629	384	1118	1337	2039	741	747	0	1130	602	1898
UPPER	1269	1389	1080	1263	2253	0	0	0	0	0	2755	0	0	2353	3514	0	0	0	0	0	0
LOWER	732	852	594	766	567	0	0	0	0	0	883	0	0	680	1073	0	0	0	0	0	0
FEMALE	28	37	43	33	3	0	2	1	5	3	4	4	3	4	2	0	1	0	1	4	0
SIR	1044	1091	1170	877	747	0	898	290	1305	1120	1039	1133	1419	904	685	0	419	0	285	1815	0
UPPER	1511	1508	1580	1234	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	697	772	850	606	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
142. SALIVARY GLAND																					
MALE	32	46	36	49	4	1	2	6	8	4	7	5	1	4	3	1	4	0	4	1	0
SIR	896	1146	916	1130	741	1519	664	1299	1559	1123	1259	970	334	684	718	1122	1182	0	869	307	0
UPPER	1267	1532	1271	1503	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	615	842	644	840	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	22	27	25	24	3	0	1	2	2	1	3	2	4	3	0	0	2	1	0	2	0
SIR	1117	1176	994	917	1060	0	621	861	773	539	1106	801	2675	947	0	0	1129	23971	0	1249	0
UPPER	1689	1713	1468	1365	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	701	778	645	589	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
143. GUM																					
MALE	4	4	12	6	1	0	0	1	2	1	3	0	1	0	1	1	2	0	2	0	0
SIR	634	507	1592	744	996	0	0	1089	1953	1461	2857	0	1811	0	1309	6555	3303	0	2270	0	0
UPPER	0	0	2801	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	809	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	8	4	8	9	0	0	0	0	2	0	0	0	0	0	2	0	0	0	1	1	1
SIR	1780	569	934	1166	0	0	0	0	2483	0	0	0	0	0	3594	0	0	0	1407	2566	14735
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144. FLOOR OF MOUTH																					
MALE	27	44	28	30	7	0	1	9	6	3	4	3	2	3	2	1	4	0	5	8	1
SIR	833	1258	892	811	1519	0	388	2287	1348	997	824	685	792	591	556	1310	1289	0	1254	2814	803
UPPER	1213	1694	1291	1160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	551	918	595	549	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	10	8	16	15	0	0	0	2	2	0	4	1	2	3	0	0	1	0	1	2	0
SIR	1047	612	1138	1059	0	0	0	1481	1327	0	2786	765	2560	1838	0	0	1178	0	748	2501	0
UPPER	1936	0	1837	1762	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	487	0	648	589	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
145. OTHER & UNSPEC PARTS OF MOUTH																					
MALE	38	32	22	34	8	0	4	4	4	2	5	4	0	3	3	0	5	1	6	4	0
SIR	1218	971	732	968	1829	0	1610	1089	960	702	1077	956	0	614	874	0	1671	10799	1572	1459	0
UPPER	1676	1374	1107	1356	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	866	667	459	674	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	27	20	35	29	2	1	0	1	5	0	3	2	0	3	2	1	1	0	3	0	1
SIR	1303	782	1235	1010	648	3257	0	387	1731	0	1020	738	0	878	893	2506	539	0	1114	0	2456
UPPER	1898	1206	1721	1453	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	862	478	864	679	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
146. OROPHARYNX																					
MALE	37	56	44	46	7	2	3	10	6	6	14	11	1	12	4	0	5	0	8	10	3
SIR	784	1049	897	814	997	2287	767	1623	868	1297	1907	1645	261	1578	740	0	1114	0	1322	2373	1700
UPPER	1084	1373	1208	1088	0	0	0	3000	0	0	3225	2962	0	2776	0	0	0	0	0	4387	0
LOWER	555	800	655	598	0	0	0	755	0	0	1033	803	0	802	0	0	0	0	0	1103	0
FEMALE	16	12	13	22	1	0	0	2	3	0	0	2	0	3	1	0	0	0	1	1	1
SIR	1328	807	835	1338	565	0	0	1310	1775	0	0	1278	0	1538	775	0	0	0	647	1023	4281
UPPER	2145	1419	1440	2025	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	756	410	439	840	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	C U R B S U B - R E G I O N S																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
147. NASOPHARYNX																					
MALE	16	20	21	15	1	0	1	3	1	2	1	1	0	5	2	1	2	0	3	2	0
SIR	941	1144	1284	777	419	0	718	1521	450	1299	399	441	0	1859	1065	2404	1232	0	1469	1329	0
UPPER	1519	1764	1960	1292	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	535	699	796	432	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	4	8	9	2	0	0	0	0	2	0	0	1	0	1	0	0	1	0	0	0	0
SIR	814	1596	1721	338	0	0	0	0	3573	0	0	1730	0	1354	0	0	2258	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
148. HYPOPHARYNX																					
MALE	22	31	33	28	8	1	2	1	5	6	8	8	5	5	5	0	7	1	6	1	0
SIR	732	890	1055	776	1782	1787	815	249	1108	2018	1699	1872	2055	1033	1451	0	2430	11705	1541	375	0
UPPER	1108	1266	1484	1123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	460	607	729	518	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	8	5	10	8	0	0	1	0	1	0	0	0	0	0	1	0	1	0	0	1	0
SIR	1483	718	1372	1052	0	0	2202	0	1275	0	0	0	0	0	1682	0	2052	0	0	2223	0
UPPER	0	0	2537	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	638	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
149. UNSPEC SITES - LIP, ORAL CAVITY & PHARYNX																					
MALE	2	8	10	8	0	0	0	3	0	0	1	1	1	2	2	0	2	0	2	0	0
SIR	313	987	1313	955	0	0	0	3100	0	0	933	1008	1780	1850	2563	0	3295	0	2237	0	0
UPPER	0	0	2427	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	610	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	2	3	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
SIR	829	1151	1448	524	0	0	0	0	0	0	5345	5755	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
150. - 159. DIGESTIVE ORGANS																					
MALE	2381	2817	2731	3174	310	45	168	360	386	227	298	310	167	413	272	47	222	9	322	219	27
SIR	1061	983	992	1068	840	992	851	1051	1018	906	783	874	832	1072	974	842	1040	1592	1013	1051	356
UPPER	1104	1020	1030	1106	940	1331	992	1167	1126	1034	879	978	971	1182	1098	1122	1189	0	1132	1203	519
LOWER	1019	947	955	1031	750	727	729	946	920	794	698	780	713	972	863	621	910	0	907	919	235
FEMALE	1751	2355	2767	2888	252	28	161	266	263	194	220	228	125	284	226	32	179	3	261	138	21
SIR	1009	963	985	1075	889	1048	1067	1069	940	997	829	930	849	933	1124	974	1161	731	1040	943	699
UPPER	1058	1003	1023	1115	1007	1517	1249	1207	1063	1150	948	1061	1015	1050	1283	1377	1347	0	1176	1117	1067
LOWER	963	925	949	1036	784	699	912	946	832	864	725	815	710	829	985	669	1000	0	919	795	433

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

CURB SUB-REGIONS

SITE	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
150. OESOPHAGUS																					
MALE	161	174	130	158	18	2	11	23	26	14	33	28	7	36	20	0	15	0	15	18	4
SIR	1201	1009	789	889	814	736	935	1115	1138	931	1447	1317	584	1565	1198	0	1177	0	787	1449	889
UPPER	1406	1174	940	1041	1282	0	1683	1673	1669	1575	2037	1906	0	2171	1846	0	1957	0	1308	2282	0
LOWER	1026	867	661	758	482	0	456	709	746	505	1000	878	0	1101	732	0	654	0	438	858	0
FEMALE	70	73	118	105	7	2	7	7	8	4	9	12	4	12	11	2	15	0	12	3	0
SIR	1133	773	1069	1021	653	2027	1249	723	736	535	907	1313	725	1057	1462	1689	2736	0	1257	559	0
UPPER	1440	978	1285	1241	0	0	0	0	0	0	0	2310	0	1859	2632	0	4550	0	2211	0	0
LOWER	890	610	889	839	0	0	0	0	0	0	0	667	0	537	713	0	1522	0	639	0	0
151. STOMACH																					
MALE	426	458	420	507	48	12	30	52	46	22	44	43	28	62	40	9	38	1	51	32	4
SIR	1214	1001	946	1069	814	1657	957	944	757	548	728	759	876	1018	902	1025	1143	1178	1008	975	344
UPPER	1336	1098	1042	1167	1083	2916	1368	1248	1012	829	980	1025	1267	1314	1232	0	1573	0	1336	1379	0
LOWER	1103	912	859	979	603	842	648	712	556	344	531	552	584	787	648	0	812	0	758	670	0
FEMALE	206	293	289	246	21	4	9	20	18	17	18	23	11	29	22	2	22	0	22	19	2
SIR	1214	1172	965	892	725	1513	596	791	627	848	676	930	738	945	1088	620	1469	0	858	1310	711
UPPER	1395	1316	1085	1012	1107	0	0	1219	988	1352	1064	1395	1328	1359	1646	0	2223	0	1297	2040	0
LOWER	1057	1043	859	785	449	0	0	483	371	493	400	591	360	635	683	0	922	0	538	788	0
152. SMALL INTESTINE, INCL. DUODENUM																					
MALE	24	38	31	30	1	0	3	1	6	1	5	1	5	3	1	0	2	0	3	4	0
SIR	943	1273	1090	947	254	0	1391	286	1537	382	1230	266	2334	714	330	0	823	0	894	1733	0
UPPER	1404	1751	1550	1355	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	606	905	744	642	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	9	23	25	27	3	1	1	2	1	1	2	5	2	3	0	2	0	0	3	0	0
SIR	548	1086	1111	1162	1215	4014	732	915	415	599	837	2289	1532	1098	0	6492	0	0	1378	0	0
UPPER	0	1629	1640	1692	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	690	721	768	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
153. LARGE INTESTINE, EXCEPT RECTUM																					
MALE	805	973	996	1206	116	11	55	132	143	76	94	106	59	129	102	18	79	5	100	77	8
SIR	1010	958	1016	1144	884	685	785	1087	1063	854	696	840	829	944	1028	907	1042	2479	887	1042	297
UPPER	1083	1020	1082	1211	1065	1233	1029	1293	1257	1075	856	1021	1077	1125	1253	1429	1306	0	1083	1309	0
LOWER	942	899	955	1080	734	334	597	913	899	678	566	691	637	791	842	537	831	0	725	827	0
FEMALE	790	967	1187	1351	119	13	76	121	127	81	84	108	57	126	100	14	61	1	111	60	5
SIR	1026	901	967	1145	954	1104	1141	1108	1035	948	718	999	879	939	1128	961	889	551	1005	926	372
UPPER	1101	960	1024	1208	1146	1902	1437	1328	1236	1185	893	1211	1147	1121	1378	1626	1150	0	1216	1201	0
LOWER	956	845	914	1085	794	581	905	923	867	758	576	824	671	785	922	521	686	0	831	713	0

219

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

		C U R B S U B - R E G I O N S																			
SITE	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
153.0 HEPATIC FLEXURE																					
MALE	34	31	44	50	4	0	2	6	3	2	0	4	3	6	4	1	7	0	2	5	0
SIR	1092	775	1135	1207	772	0	732	1250	565	569	0	803	1076	1122	1023	1294	2365	0	451	1726	0
UPPER	1530	1103	1527	1604	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	760	529	828	905	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	38	30	40	52	3	1	6	7	7	3	0	3	1	3	1	0	4	0	0	1	0
SIR	1369	773	918	1221	670	2311	2493	1761	1581	978	0	770	428	621	312	0	1623	0	0	428	0
UPPER	1884	1105	1254	1614	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	973	524	659	921	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
153.1 TRANSVERSE COLON																					
MALE	57	68	69	91	8	0	4	9	17	8	17	8	6	11	6	2	10	1	14	8	0
SIR	888	865	908	1106	779	0	722	972	1650	1157	1605	811	1071	1019	770	1274	1635	6082	1585	1362	0
UPPER	1159	1104	1156	1364	0	0	0	0	2630	0	2558	0	0	1835	0	0	3023	0	2680	0	0
LOWER	678	677	712	895	0	0	0	0	959	0	932	0	0	497	0	0	760	0	859	0	0
FEMALE	73	111	118	127	11	1	6	11	13	6	11	10	15	14	10	2	6	0	7	5	0
SIR	905	1039	993	1077	877	823	879	1008	1066	706	925	913	2286	1025	1110	1320	832	0	633	748	0
UPPER	1145	1257	1193	1286	1580	0	0	1814	1838	0	1665	1688	3802	1734	2052	0	0	0	0	0	0
LOWER	715	859	825	902	428	0	0	492	561	0	451	425	1272	556	516	0	0	0	0	0	0
153.2 DESCENDING COLON																					
MALE	74	65	87	91	8	0	5	10	16	4	8	8	8	12	10	1	8	0	9	11	1
SIR	1115	779	1090	1045	739	0	859	1001	1448	548	719	771	1368	1060	1220	606	1271	0	971	1791	443
UPPER	1409	999	1351	1289	0	0	0	1851	2338	0	0	0	0	1865	2256	0	0	0	0	3225	0
LOWER	882	606	878	846	0	0	0	466	824	0	0	0	0	539	567	0	0	0	0	874	0
FEMALE	52	63	66	90	9	0	3	8	5	5	5	6	7	7	12	2	10	0	10	7	1
SIR	936	900	864	1163	1080	0	659	1125	627	896	627	818	1599	767	1997	1944	2010	0	1364	1548	952
UPPER	1237	1160	1107	1437	0	0	0	0	0	0	0	0	0	0	3513	0	3716	0	2522	0	0
LOWER	706	698	674	941	0	0	0	0	0	0	0	0	0	0	1015	0	935	0	634	0	0
153.3 SIGMOID COLON																					
MALE	299	400	364	444	51	4	20	59	55	37	36	43	15	43	37	9	27	1	30	31	6
SIR	990	1030	982	1108	1027	654	753	1270	1069	1095	701	900	556	828	982	1192	938	1285	700	1106	594
UPPER	1111	1137	1090	1218	1361	0	1161	1651	1403	1514	973	1215	925	1118	1357	0	1366	0	1001	1572	0
LOWER	883	933	885	1009	772	0	460	976	813	775	493	654	309	602	694	0	620	0	474	754	0
FEMALE	239	301	333	412	41	5	17	30	34	24	33	37	17	35	37	5	20	0	42	15	0
SIR	996	930	930	1160	1089	1366	835	907	921	937	922	1123	863	855	1368	1105	935	0	1263	752	0
UPPER	1133	1042	1037	1279	1481	0	1331	1296	1290	1394	1297	1551	1375	1192	1890	0	1441	0	1712	1250	0
LOWER	876	829	834	1052	785	0	485	614	641	602	637	794	501	598	968	0	571	0	914	418	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

CURB SUB-REGIONS

SITE	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
153.4 CAECUM																					
MALE	155	186	186	255	19	4	11	21	22	12	15	20	10	26	19	3	5	1	24	6	0
SIR	1055	966	985	1276	763	1318	834	903	858	706	588	834	742	1013	1015	812	359	2797	1123	435	0
UPPER	1238	1117	1140	1445	1188	0	1502	1378	1297	1242	979	1285	1371	1486	1580	0	0	0	1672	0	0
LOWER	898	834	851	1126	459	0	407	559	538	359	327	509	345	664	611	0	0	0	722	0	0
FEMALE	190	235	311	353	26	3	22	36	25	19	21	18	9	36	14	2	9	0	26	17	1
SIR	1069	878	979	1205	848	1079	1378	1325	814	890	743	686	569	1110	652	591	571	0	953	1110	349
UPPER	1235	999	1096	1339	1243	0	2084	1838	1203	1387	1134	1081	0	1540	1103	0	0	0	1397	1770	0
LOWER	925	771	875	1084	556	0	865	932	529	536	460	406	0	781	353	0	0	0	624	645	0
153.5 APPENDIX																					
MALE	8	8	8	9	1	1	0	1	2	0	0	0	0	1	0	0	2	0	3	1	0
SIR	1012	995	1023	1012	900	7373	0	1120	1992	0	0	0	0	809	0	0	2661	0	3190	1422	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	13	8	13	16	0	0	3	0	1	0	0	1	1	2	0	0	1	0	2	3	0
SIR	1086	719	1118	1203	0	0	3273	0	837	0	0	742	1238	1127	0	0	907	0	1591	3146	0
UPPER	1871	0	1927	1943	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	571	0	588	685	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
153.6 ASCENDING COLON																					
MALE	109	117	133	156	14	2	10	16	11	8	9	8	8	14	20	1	13	1	11	10	0
SIR	1077	910	1066	1167	840	981	1125	1043	647	708	526	500	884	809	1592	400	1351	3967	769	1068	0
UPPER	1304	1095	1267	1369	1420	0	2081	1684	1166	0	0	0	0	1369	2454	0	2328	0	1384	1975	0
LOWER	888	756	896	994	455	0	523	594	316	0	0	0	0	439	973	0	710	0	375	497	0
FEMALE	115	129	177	196	19	1	10	21	25	15	5	18	4	18	20	1	6	1	15	9	1
SIR	1070	826	965	1142	1053	603	1053	1324	1398	1203	299	1162	429	936	1574	491	627	3854	937	982	558
UPPER	1290	984	1121	1317	1640	0	1946	2021	2064	2001	0	1830	0	1475	2427	0	0	0	1558	0	0
LOWER	888	692	830	990	634	0	489	821	907	669	0	688	0	554	962	0	0	0	521	0	0
153.7 SPLENIC FLEXURE																					
MALE	37	50	56	58	5	0	1	5	8	4	5	9	1	11	3	0	1	1	2	0	0
SIR	926	1018	1209	1134	788	0	291	861	1239	937	761	1479	290	1642	619	0	263	9647	366	0	0
UPPER	1280	1354	1583	1476	0	0	0	0	0	0	0	0	0	2957	0	0	0	0	0	0	0
LOWER	655	764	922	869	0	0	0	0	0	0	0	0	0	801	0	0	0	0	0	0	0
FEMALE	38	40	43	47	7	1	4	5	9	1	4	1	1	3	2	2	1	0	2	3	1
SIR	1211	968	943	1037	1445	2151	1524	1193	1917	305	867	235	394	569	574	3404	356	0	467	1157	1745
UPPER	1666	1322	1273	1383	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	861	695	685	765	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
153.8 OTHER																					
MALE	7	12	7	15	1	0	2	3	4	0	1	2	3	1	1	0	1	0	1	1	0
SIR	738	1009	619	1216	653	0	2420	2115	2541	0	630	1358	3626	618	858	0	1100	0	758	1144	0
UPPER	0	1774	0	2022	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	513	0	676	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	13	9	13	0	0	1	1	1	0	1	1	0	1	1	0	2	0	1	0	0
SIR	898	1321	756	1193	0	0	1667	1006	894	0	956	1020	0	825	1250	0	3332	0	990	0	0
UPPER	0	2276	0	2057	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	695	0	628	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
153.9 COLON, UNSPECIFIED																					
MALE	25	36	42	37	5	0	0	2	5	1	3	4	5	4	2	1	5	0	4	4	1
SIR	909	1014	1176	998	1076	0	0	470	1064	316	634	891	1979	837	573	1454	1910	0	1007	1554	1079
UPPER	1342	1407	1593	1379	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	590	713	851	706	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	26	37	77	45	3	1	4	2	7	8	4	13	2	7	3	0	2	0	6	0	1
SIR	842	769	1288	849	537	2064	1415	414	1258	2066	798	2791	707	1213	787	0	736	0	1212	0	2049
UPPER	1235	1063	1619	1139	0	0	0	0	0	0	0	4809	0	0	0	0	0	0	0	0	0
LOWER	552	544	1023	622	0	0	0	0	0	0	0	1468	0	0	0	0	0	0	0	0	0
154. RECTUM, RECTOSIGMOID JUNCTION AND ANAL CANAL																					
MALE	563	674	695	776	79	14	43	92	99	65	58	81	44	121	63	6	44	3	85	49	2
SIR	1003	960	1048	1067	876	1256	883	1106	1072	1066	620	936	895	1272	918	433	823	2063	1091	949	103
UPPER	1090	1036	1129	1145	1098	2124	1193	1363	1311	1368	808	1169	1205	1525	1183	0	1108	0	1356	1262	0
LOWER	922	890	972	994	698	680	642	897	876	829	475	748	653	1060	711	0	601	0	877	705	0
FEMALE	341	504	589	633	53	2	32	53	66	47	44	42	33	58	48	6	43	1	48	31	4
SIR	879	978	1037	1117	879	340	979	1007	1123	1151	767	796	1046	884	1109	822	1244	1128	903	965	563
UPPER	979	1069	1125	1209	1159	0	1385	1328	1438	1535	1032	1079	1472	1151	1474	0	1680	0	1201	1372	0
LOWER	789	896	955	1033	665	0	672	762	875	849	560	576	723	677	821	0	904	0	669	658	0
154.0 RECTOSIGMOID JUNCTION																					
MALE	138	171	174	181	24	2	10	18	28	18	7	18	21	26	13	0	7	1	25	12	0
SIR	1002	995	1078	1018	1090	734	841	885	1240	1210	306	853	1748	1116	775	0	534	2797	1314	949	0
UPPER	1188	1158	1254	1180	1623	0	1554	1394	1794	1905	0	1343	2669	1636	1335	0	0	0	1940	1670	0
LOWER	845	854	927	877	701	0	391	524	827	716	0	505	1083	731	407	0	0	0	853	482	0
FEMALE	81	133	162	165	18	1	8	14	16	10	10	9	8	13	10	2	12	0	9	7	3
SIR	799	1001	1122	1129	1156	653	939	1027	1055	951	672	660	980	764	890	1046	1325	0	656	835	1604
UPPER	998	1190	1312	1319	1821	0	0	1737	1703	1758	1243	0	0	1316	1645	0	2332	0	0	0	0
LOWER	638	841	959	967	684	0	0	557	600	442	312	0	0	402	414	0	673	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
154.1 RECTUM																					
MALE	414	488	503	579	55	11	33	70	70	46	49	61	23	95	49	6	33	2	57	37	1
SIR	1006	948	1032	1085	831	1344	924	1147	1033	1028	714	960	638	1361	974	590	843	1878	997	977	70
UPPER	1109	1037	1128	1177	1090	2421	1300	1458	1313	1375	950	1242	957	1672	1294	0	1186	0	1302	1350	0
LOWER	912	867	945	999	632	656	638	901	811	756	531	740	405	1107	723	0	582	0	762	691	0
FEMALE	231	345	395	440	35	1	23	35	48	33	32	32	24	44	37	4	29	1	36	23	1
SIR	868	969	1001	1125	841	247	1024	964	1182	1169	810	880	1104	974	1241	799	1223	1633	982	1042	206
UPPER	989	1079	1106	1236	1173	0	1536	1344	1571	1646	1145	1245	1642	1311	1714	0	1760	0	1362	1563	0
LOWER	761	871	906	1023	589	0	651	674	875	808	556	604	709	711	878	0	822	0	691	662	0
154.2 ANAL CANAL																					
MALE	9	10	13	5	0	1	0	3	0	0	0	1	0	0	1	0	2	0	2	0	1
SIR	1191	1087	1495	530	0	6958	0	2841	0	0	0	886	0	0	1112	0	2747	0	1955	0	3660
UPPER	0	2009	2576	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	505	786	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	19	21	26	18	0	0	0	3	1	1	2	1	1	1	0	0	1	0	1	1	0
SIR	1305	1131	1302	878	0	0	0	1578	475	679	949	516	868	416	0	0	768	0	519	840	0
UPPER	2032	1726	1909	1383	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	785	701	853	520	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
154.8 ANORECTAL JUNCTION																					
MALE	2	5	5	11	0	0	0	1	1	1	2	1	0	0	0	0	2	0	1	0	0
SIR	430	807	812	1731	0	0	0	1345	1216	1825	2453	1296	0	0	0	0	4505	0	1456	0	0
UPPER	0	0	0	3117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	845	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	10	5	6	10	0	0	1	1	1	3	0	0	0	0	1	0	1	0	2	0	0
SIR	1754	642	646	1143	0	0	2020	1282	1137	4755	0	0	0	0	1530	0	1979	0	2463	0	0
UPPER	3243	0	0	2114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	816	0	0	532	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
155. LIVER & INTRAHEPATIC BILE DUCTS																					
MALE	70	94	72	79	6	1	3	9	9	5	14	6	3	4	7	4	8	0	4	6	3
SIR	1101	1212	985	974	597	805	548	981	883	739	1346	623	547	374	907	2524	1322	0	463	1025	1375
UPPER	1400	1490	1248	1221	0	0	0	0	0	0	2276	0	0	0	0	0	0	0	0	0	0
LOWER	865	985	777	776	0	0	0	0	0	0	729	0	0	0	0	0	0	0	0	0	0
FEMALE	28	43	35	29	2	0	0	3	3	2	6	2	2	3	0	0	2	0	5	2	4
SIR	1096	1331	976	800	515	0	0	906	814	768	1632	591	978	703	0	0	871	0	1469	941	8316
UPPER	1586	1798	1361	1150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	731	968	683	538	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

223

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
156. GALLBLADDER & BILE DUCTS																					
MALE	75	97	75	83	10	0	3	8	10	9	9	9	5	14	5	2	8	0	14	9	1
SIR	1167	1118	884	930	905	0	514	762	865	1181	792	842	829	1230	601	1225	1316	0	1466	1478	491
UPPER	1472	1370	1115	1159	1673	0	0	0	1600	0	0	0	0	2080	0	0	0	0	2480	0	0
LOWER	925	911	700	746	421	0	0	0	402	0	0	0	0	666	0	0	0	0	795	0	0
FEMALE	85	144	145	141	15	4	10	16	13	15	16	11	1	14	14	2	10	0	21	13	5
SIR	929	1065	913	951	965	2803	1226	1162	838	1392	1112	826	125	847	1282	1150	1231	0	1520	1658	3325
UPPER	1154	1258	1078	1125	1604	0	2266	1876	1443	2314	1796	1488	0	1433	2168	0	2276	0	2321	2858	0
LOWER	746	902	773	804	537	0	570	661	441	774	633	403	0	459	695	0	573	0	942	872	0
157. PANCREAS																					
MALE	224	271	265	282	26	4	16	37	41	30	35	30	12	38	26	7	22	0	44	21	2
SIR	1048	980	996	987	732	917	845	1116	1119	1241	957	878	623	1030	971	1316	1084	0	1438	1055	280
UPPER	1197	1106	1125	1111	1073	0	1365	1543	1522	1775	1334	1255	1096	1417	1423	0	1639	0	1936	1610	0
LOWER	917	869	881	876	480	0	481	790	806	841	669	595	317	732	636	0	680	0	1050	654	0
FEMALE	186	256	300	293	24	1	19	29	22	23	28	16	11	30	23	3	23	1	27	9	0
SIR	1094	989	979	1035	813	370	1237	1101	740	1118	1029	634	723	961	1113	922	1531	2404	1029	612	0
UPPER	1266	1120	1097	1162	1210	0	1927	1583	1120	1676	1488	1024	1303	1374	1670	0	2297	0	1498	0	0
LOWER	945	873	872	921	522	0	745	740	465	710	686	361	353	651	707	0	973	0	680	0	0
159. UNSPECIFIED SITES - DIGESTIVE ORGANS																					
MALE	33	38	47	53	6	1	4	6	6	5	6	6	4	6	8	1	6	0	6	3	3
SIR	946	789	967	1067	967	1336	1241	1022	931	1165	953	1000	1186	961	1738	1135	1825	0	1127	901	2723
UPPER	1331	1086	1290	1407	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	654	561	714	807	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	36	52	79	63	8	1	7	15	5	4	13	9	4	9	8	1	3	0	12	1	1
SIR	857	814	998	891	1075	1531	1839	2341	679	775	1933	1436	1054	1160	1565	1252	814	0	1819	276	1485
UPPER	1189	1076	1250	1147	0	0	0	3893	0	0	3331	0	0	0	0	0	0	0	3201	0	0
LOWER	603	614	795	690	0	0	0	1302	0	0	1017	0	0	0	0	0	0	0	925	0	0
160. - 163. RESPIRATORY ORGANS																					
MALE	1979	2433	1798	2267	186	25	89	235	234	132	254	202	116	279	190	40	225	6	236	193	45
SIR	1179	1121	887	1019	677	732	605	906	814	706	891	766	778	968	911	957	1407	1386	993	1241	810
UPPER	1232	1166	929	1062	783	1080	748	1031	927	840	1009	881	937	1090	1053	1307	1606	0	1130	1433	1087
LOWER	1128	1077	846	978	585	475	489	795	715	593	786	665	646	859	788	687	1232	0	872	1075	593
FEMALE	668	637	613	811	47	7	27	73	68	31	58	66	31	78	42	12	67	1	58	53	3
SIR	1324	952	859	1111	608	905	636	1058	892	590	778	969	762	918	748	1261	1485	895	849	1267	323
UPPER	1430	1030	930	1191	810	0	927	1338	1138	839	1013	1241	1083	1152	1013	2219	1898	0	1105	1671	0
LOWER	1227	881	793	1036	448	0	421	835	698	403	596	755	520	730	541	641	1160	0	650	959	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
160. NOSE, NASAL CAVITIES, MIDDLE EAR & ACCESSORY SINUSES																					
MALE	11	19	19	35	0	0	2	1	4	1	3	3	3	2	1	1	3	0	2	1	0
SIR	599	916	989	1587	0	0	1309	417	1492	553	1055	1149	2002	669	469	2205	1704	0	854	602	0
UPPER	1078	1427	1540	2212	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	292	552	595	1110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	9	13	15	12	0	0	1	1	3	0	1	3	1	4	1	0	2	0	2	0	0
SIR	868	1022	1066	831	0	0	1149	764	2050	0	678	2233	1232	2348	896	0	2191	0	1482	0	0
UPPER	0	1761	1772	1462	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	537	593	422	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
161. LARYNX																					
MALE	155	204	138	164	24	3	4	23	22	8	20	14	8	17	19	5	14	1	16	18	4
SIR	1099	1202	906	939	1115	1111	339	1163	994	555	884	681	682	731	1144	1458	1036	2537	855	1416	804
UPPER	1289	1382	1074	1097	1659	0	0	1745	1504	0	1362	1151	0	1165	1782	0	1751	0	1380	2230	0
LOWER	935	1045	764	803	716	0	0	739	624	0	540	369	0	425	689	0	561	0	487	838	0
FEMALE	26	21	16	15	0	0	1	1	2	1	1	4	1	3	2	0	7	0	3	0	0
SIR	1590	1039	807	691	0	0	768	478	873	639	430	1898	804	1145	1154	0	4734	0	1452	0	0
UPPER	2331	1586	1304	1149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	1042	644	460	384	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
162. TRACHEA, BRONCHUS & LUNG																					
MALE	1737	2106	1565	1965	155	21	77	206	203	121	227	179	104	255	166	32	188	5	208	156	41
SIR	1198	1113	882	1014	648	706	603	908	808	742	915	779	801	1019	916	884	1362	1348	1005	1158	862
UPPER	1256	1161	927	1060	760	1078	758	1043	930	890	1045	904	975	1154	1069	1250	1575	0	1154	1358	1173
LOWER	1143	1066	839	970	552	438	479	790	703	618	802	671	658	899	784	607	1177	0	875	986	621
FEMALE	623	590	570	764	46	7	23	68	63	29	54	58	27	70	37	12	55	1	53	52	3
SIR	1338	949	856	1126	641	977	585	1059	888	594	781	918	716	889	710	1365	1320	967	835	1344	352
UPPER	1448	1029	930	1210	857	0	878	1352	1144	854	1028	1196	1042	1130	981	2401	1731	0	1102	1776	0
LOWER	1236	874	788	1048	471	0	372	829	688	399	593	703	473	698	502	693	1004	0	632	1014	0
163. PLEURA																					
MALE	76	104	76	103	7	1	6	5	5	2	4	6	1	5	4	2	20	0	10	18	0
SIR	1094	1182	921	1139	626	721	998	481	433	263	344	559	163	424	470	1173	3022	0	1032	2825	0
UPPER	1377	1439	1159	1387	0	0	0	0	0	0	0	0	0	0	0	0	4659	0	1908	4449	0
LOWER	868	971	730	934	0	0	0	0	0	0	0	0	0	0	0	0	1847	0	480	1672	0
FEMALE	10	13	12	20	1	0	2	3	0	1	2	1	2	1	2	0	3	0	0	1	0
SIR	843	932	831	1286	595	0	2098	2102	0	903	1218	665	2231	532	1615	0	2825	0	0	1052	0
UPPER	1559	1606	1462	1982	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	392	490	422	786	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

225

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	C U R B S U B - R E G I O N S																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
164. THYMUS, HEART AND MEDIASTINUM																					
MALE	14	3	4	9	1	0	2	1	1	0	2	2	0	1	0	0	3	0	1	0	0
SIR	1581	414	573	1021	923	0	2917	1360	1205	0	1796	2004	0	769	0	0	3574	0	1129	0	0
UPPER	2674	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	857	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	5	8	4	6	1	0	0	1	0	0	0	1	0	0	0	0	0	0	0	1	0
SIR	1087	1614	783	1065	1614	0	0	1978	0	0	0	1775	0	0	0	0	0	0	0	2751	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
170. BONE AND ARTICULAR CARTILAGE																					
MALE	37	32	26	31	3	0	3	4	2	2	2	4	4	1	0	1	2	0	5	1	0
SIR	1188	1178	986	976	767	0	1247	1398	619	818	488	1069	1799	213	0	1309	664	0	1521	369	0
UPPER	1641	1666	1446	1387	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	840	809	646	665	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	22	17	27	23	4	3	2	1	4	3	0	3	2	3	3	0	4	0	3	3	1
SIR	860	812	1175	866	1322	9183	1027	506	1789	1640	0	1080	1203	802	1265	0	1692	0	1161	1481	1662
UPPER	1301	1294	1711	1300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	540	472	777	550	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
171. CONNECTIVE & OTHER SOFT TISSUE																					
MALE	97	115	130	148	11	1	8	17	3	9	21	14	4	17	12	3	9	0	15	13	1
SIR	844	1009	1159	1139	683	500	844	1330	210	869	1270	918	441	938	946	1054	830	0	1110	1262	220
UPPER	1034	1216	1381	1342	1230	0	0	2119	0	0	1938	1552	0	1495	1665	0	0	0	1847	2174	0
LOWER	688	837	972	966	333	0	0	772	0	0	787	497	0	545	481	0	0	0	618	664	0
FEMALE	85	80	92	89	10	1	6	8	8	6	17	8	7	11	7	1	11	0	10	2	2
SIR	1083	976	999	920	946	918	952	994	888	884	1673	850	1225	892	880	626	1541	0	1098	313	1164
UPPER	1346	1221	1230	1138	1748	0	0	0	0	0	2666	0	0	1607	0	0	2775	0	2030	0	0
LOWER	870	779	809	743	440	0	0	0	0	0	972	0	0	436	0	0	752	0	511	0	0
172. MELANOMA OF SKIN																					
MALE	672	683	833	1149	95	17	64	100	84	61	100	66	63	83	94	13	56	0	87	72	15
SIR	849	879	1103	1310	871	1268	1004	1171	877	880	890	641	1033	677	1097	675	746	0	951	1030	455
UPPER	916	948	1181	1389	1070	2021	1291	1430	1092	1139	1088	821	1330	844	1349	1162	976	0	1179	1304	757
LOWER	786	815	1030	1236	708	737	780	958	704	679	728	500	800	543	891	355	569	0	766	811	253
FEMALE	751	637	854	1129	110	17	61	110	104	79	106	102	56	95	102	19	67	0	106	59	10
SIR	899	797	1004	1177	1036	1503	939	1391	1190	1200	1027	1073	973	769	1277	1160	892	0	1182	905	534
UPPER	966	862	1075	1248	1254	2395	1215	1683	1448	1504	1248	1308	1273	944	1557	1807	1140	0	1436	1176	987
LOWER	836	736	939	1110	855	873	724	1149	977	956	845	879	742	626	1047	698	697	0	973	695	248

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
172.0 LIP																					
MALE	1	2	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
SIR	1764	2008	0	990	0	0	0	0	0	0	0	0	0	0	0	64835	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	0	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	1273	935	2309	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172.1 EYELID, INCLUDING CANTHUS																					
MALE	1	1	2	3	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
SIR	631	604	1302	1733	0	0	0	5559	0	6956	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	3	2	2	6	0	0	1	0	1	0	1	0	0	0	0	0	0	0	1	0	0
SIR	1126	585	530	1566	0	0	4454	0	2566	0	2583	0	0	0	0	0	0	0	2805	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172.2 EAR																					
MALE	21	20	43	44	5	1	5	4	7	3	4	4	3	2	6	4	3	0	2	1	0
SIR	755	579	1272	1210	1105	1793	2041	975	1545	984	863	923	1212	422	1758	5785	1140	0	516	388	0
UPPER	1153	893	1718	1629	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	468	354	925	883	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	7	3	7	12	3	0	1	1	1	2	3	2	0	0	2	0	0	0	4	1	0
SIR	857	337	730	1158	2646	0	1500	1108	1005	2762	2766	2012	0	0	2386	0	0	0	4122	1517	0
UPPER	0	0	0	2037	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	588	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172.3 UNSPECIFIED PARTS OF FACE																					
MALE	70	83	104	131	12	0	5	10	9	6	13	9	10	8	14	2	4	0	10	10	1
SIR	897	858	1091	1281	946	0	724	872	711	701	999	739	1436	599	1457	1021	543	0	921	1377	369
UPPER	1141	1069	1327	1525	1664	0	0	1611	0	0	1721	0	2655	0	2464	0	0	0	1703	2545	0
LOWER	705	688	895	1075	481	0	0	405	0	0	525	0	668	0	790	0	0	0	428	640	0
FEMALE	68	78	116	156	14	2	10	15	12	3	6	14	5	20	10	3	6	0	15	5	0
SIR	863	737	935	1313	1111	1689	1459	1400	996	351	513	1292	763	1467	1116	1977	854	0	1356	755	0
UPPER	1102	925	1125	1540	1880	0	2697	2329	1752	0	0	2186	0	2262	2064	0	0	0	2255	0	0
LOWER	676	586	776	1118	602	0	678	779	506	0	0	700	0	897	519	0	0	0	754	0	0

227

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
172.4 SCALP AND NECK																					
MALE	55	48	69	99	6	0	3	9	9	1	9	3	2	8	7	0	6	0	9	7	2
SIR	934	755	1087	1405	685	0	603	1241	1121	175	1008	361	411	839	1037	0	1081	0	1227	1309	870
UPPER	1225	1003	1385	1718	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	710	559	852	1148	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	38	18	32	50	4	0	0	4	3	4	7	4	4	6	5	1	4	0	7	4	0
SIR	1113	518	850	1226	893	0	0	1172	790	1416	1622	1002	1655	1161	1492	1493	1297	0	1828	1483	0
UPPER	1531	815	1202	1630	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	791	306	584	920	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172.5 TRUNK																					
MALE	258	257	308	435	36	8	30	37	25	27	46	22	20	29	32	3	24	0	37	24	6
SIR	817	899	1119	1317	875	1581	1218	1217	727	1057	1082	571	863	613	979	396	800	0	1079	877	437
UPPER	925	1018	1253	1448	1215	0	1741	1682	1074	1539	1448	863	1331	881	1384	0	1191	0	1490	1305	0
LOWER	722	794	999	1197	616	0	825	861	472	699	796	358	528	412	672	0	514	0	763	563	0
FEMALE	134	91	135	188	10	3	12	15	19	13	26	19	11	13	13	3	16	0	11	7	3
SIR	883	746	1063	1215	571	1534	1052	1277	1471	1265	1515	1201	1136	615	963	984	1172	0	763	605	812
UPPER	1050	920	1262	1405	1055	0	1851	2124	2291	2180	2221	1870	2046	1059	1659	0	1893	0	1374	0	0
LOWER	743	604	895	1050	265	0	535	710	885	665	993	723	555	323	506	0	667	0	372	0	0
172.6 UPPER LIMB																					
MALE	124	122	135	209	21	2	14	18	21	11	10	19	14	14	17	1	9	0	8	17	2
SIR	874	876	1004	1337	1080	838	1236	1179	1224	891	499	1035	1290	639	1111	291	666	0	490	1360	340
UPPER	1046	1049	1192	1534	1648	0	2090	1857	1869	1604	922	1612	2182	1082	1770	0	0	0	0	2168	0
LOWER	730	730	845	1165	669	0	670	698	759	435	232	623	699	347	645	0	0	0	0	790	0
FEMALE	172	156	184	253	34	2	17	31	26	20	24	25	15	23	30	6	16	0	23	14	2
SIR	875	832	923	1127	1366	753	1120	1676	1270	1296	990	1118	1111	795	1602	1569	904	0	1094	917	454
UPPER	1019	976	1069	1277	1912	0	1785	2383	1863	1997	1473	1651	1848	1192	2291	0	1460	0	1641	1551	0
LOWER	751	709	797	994	950	0	650	1143	832	792	636	726	618	505	1085	0	515	0	695	497	0
172.7 LOWER LIMB																					
MALE	107	100	123	164	11	4	6	15	8	7	13	5	8	17	9	1	9	0	12	10	3
SIR	877	940	1184	1302	703	2070	629	1333	630	727	807	342	902	936	717	336	780	0	928	943	553
UPPER	1064	1148	1417	1521	1266	0	0	2217	0	0	1391	0	0	1492	0	0	0	0	1632	1744	0
LOWER	722	769	988	1114	343	0	0	741	0	0	425	0	0	544	0	0	0	0	471	439	0
FEMALE	305	266	347	437	42	9	19	39	41	30	35	34	21	26	39	5	25	0	37	23	5
SIR	901	861	1091	1171	1009	1985	734	1275	1220	1178	857	905	924	532	1235	757	822	0	1059	882	648
UPPER	1010	973	1213	1287	1368	0	1144	1747	1659	1684	1194	1267	1411	779	1693	0	1214	0	1463	1323	0
LOWER	804	762	980	1065	731	0	442	910	879	798	599	629	573	348	882	0	533	0	749	560	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
172.8 OTHER																					
MALE	3	5	3	4	0	0	1	0	0	0	0	0	1	0	1	0	0	0	0	1	0
SIR	973	1405	883	1075	0	0	3966	0	0	0	0	0	3971	0	2782	0	0	0	0	3576	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	4	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
SIR	915	2609	1126	0	0	0	0	0	0	8149	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
172.9 SITE UNSPECIFIED																					
MALE	32	45	46	59	4	2	0	6	5	5	5	4	5	5	8	1	1	0	9	2	1
SIR	755	1020	1075	1212	660	2694	0	1215	906	1277	802	697	1482	749	1692	963	249	0	1761	527	586
UPPER	1068	1369	1438	1575	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	519	747	791	931	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	23	18	28	25	3	1	1	5	1	6	4	4	0	7	3	1	0	0	8	5	0
SIR	960	690	1006	829	914	2923	520	1906	346	2857	1261	1377	0	1883	1236	2136	0	0	2852	2611	0
UPPER	1440	1087	1456	1225	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	610	408	671	538	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173.5 ANUS																					
MALE	16	9	4	4	1	0	0	0	1	1	0	3	0	1	1	0	1	0	2	0	0
SIR	2063	1158	520	457	911	0	0	0	1027	1418	0	2884	0	825	1171	0	1363	0	2168	0	0
UPPER	3332	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	1174	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	6	15	17	1	0	1	1	1	2	0	0	1	0	2	0	0	0	0	0	0
SIR	652	633	1462	1535	818	0	1391	1060	949	2559	0	0	1511	0	2209	0	0	0	0	0	0
UPPER	0	0	2432	2447	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	813	892	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
174. FEMALE BREAST																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2356	2191	2691	3294	336	19	181	297	297	191	292	271	167	318	253	40	179	1	262	183	29
SIR	1003	865	1015	1137	1054	575	985	1156	1041	931	941	950	982	887	1077	920	848	200	954	994	597
UPPER	1045	902	1054	1176	1175	895	1142	1298	1168	1075	1057	1072	1146	991	1221	1256	984	0	1079	1152	858
LOWER	964	829	977	1098	946	346	849	1030	927	805	838	842	841	793	950	660	730	0	844	858	401

229

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
175. MALE BREAST																					
MALE	17	25	21	20	2	0	1	0	4	2	3	3	2	1	4	2	6	0	4	2	1
SIR	888	1119	959	837	665	0	612	0	1374	1001	975	1045	1224	316	1759	4338	3317	0	1562	1151	1421
UPPER	1416	1653	1464	1290	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	516	727	594	512	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180.9 CERVIX UTERI																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	316	300	248	345	29	5	21	29	20	18	31	40	19	53	25	9	32	1	37	29	6
SIR	1028	1091	861	1015	764	1203	881	1056	664	781	841	1176	915	1192	872	1486	1170	1644	1173	1225	852
UPPER	1150	1224	977	1129	1099	0	1345	1519	1024	1230	1196	1606	1425	1571	1288	0	1655	0	1621	1761	0
LOWER	920	973	759	912	514	0	546	710	406	462	574	844	551	902	566	0	804	0	830	823	0
181. PLACENTA																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	3	1	2	7	2	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0
SIR	720	378	692	1851	4656	0	0	0	0	0	0	2618	0	0	0	10617	0	0	2958	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
182. BODY OF THE UTERUS																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	415	434	513	540	73	1	41	63	49	41	54	43	30	65	45	6	37	1	54	36	3
SIR	1039	895	1025	1012	1267	170	1276	1267	889	1072	961	838	984	1016	1066	807	1033	1150	1068	1117	382
UPPER	1145	984	1118	1102	1602	0	1736	1632	1182	1458	1264	1132	1407	1303	1430	0	1427	0	1404	1550	0
LOWER	942	814	939	930	1000	0	920	981	660	773	729	609	667	790	781	0	730	0	810	786	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
183. OVARY AND OTHER UTERINE ADNEXA																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	307	312	365	423	49	3	23	39	39	23	36	30	23	33	24	8	26	0	45	18	3
SIR	1026	912	1027	1107	1179	698	974	1126	1013	845	886	805	1037	704	781	1426	966	0	1241	754	490
UPPER	1150	1021	1140	1219	1567	0	1461	1543	1389	1268	1229	1152	1556	990	1163	0	1416	0	1665	1187	0
LOWER	916	815	926	1005	876	0	619	804	724	537	623	546	659	486	502	0	633	0	909	446	0
184.0, 184.8, 184.9 VAGINA & UNSPEC FEMALE GENITAL ORGANS																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	11	20	26	21	7	0	0	0	4	1	3	0	1	4	1	0	4	0	5	1	0
SIR	673	992	1103	905	2804	0	0	0	1752	606	1292	0	764	1475	561	0	2754	0	2318	749	0
UPPER	1212	1528	1617	1382	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	328	606	723	561	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
184.1, 184.2, 184.3, 184.4 VULVA																					
MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	59	60	73	70	11	0	4	7	10	6	7	7	3	6	7	0	4	1	13	8	0
SIR	1195	884	914	922	1372	0	927	1023	1297	1100	942	1014	719	696	1233	0	915	8595	1845	1924	0
UPPER	1552	1146	1155	1172	2470	0	0	0	2399	0	0	0	0	0	0	0	0	0	3179	0	0
LOWER	917	680	721	724	670	0	0	0	603	0	0	0	0	0	0	0	0	0	970	0	0
185. PROSTATE																					
MALE	1933	2419	2571	3160	363	36	189	401	367	224	356	359	182	287	245	45	150	0	278	150	20
SIR	1050	887	954	1143	1062	857	1073	1182	991	937	1023	1084	988	839	968	936	863	0	945	835	383
UPPER	1098	923	992	1184	1178	1190	1241	1305	1099	1070	1137	1204	1145	944	1099	1257	1016	0	1065	982	590
LOWER	1004	852	918	1104	956	603	928	1070	893	820	921	976	852	746	853	686	733	0	839	709	234
FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

231

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
186. TESTIS																					
MALE	162	97	118	145	16	3	16	13	9	2	13	17	10	28	16	3	18	0	9	6	3
SIR	1044	904	1079	1038	943	1377	1378	1342	827	206	747	1093	975	1281	1113	760	1229	0	661	443	384
UPPER	1221	1107	1296	1225	1522	0	2225	2313	0	0	1287	1742	1803	1854	1798	0	1936	0	0	0	0
LOWER	892	737	897	879	537	0	784	706	0	0	393	635	454	855	634	0	728	0	0	0	0
FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
187. PENIS AND OTHER MALE GENITAL ORGANS																					
MALE	21	22	16	21	2	0	3	3	3	3	1	4	1	3	1	0	0	0	3	4	0
SIR	1195	1055	791	952	728	0	1995	1230	1104	1624	351	1511	662	1019	473	0	0	0	1267	2486	0
UPPER	1824	1596	1278	1454	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	741	662	450	590	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
188. BLADDER																					
MALE	437	452	482	561	62	4	25	59	60	27	65	56	30	64	41	8	41	1	49	24	9
SIR	1193	907	989	1097	975	514	750	974	900	617	999	913	872	986	863	865	1182	1157	896	692	776
UPPER	1312	995	1083	1193	1259	0	1108	1265	1167	899	1282	1195	1247	1267	1173	0	1607	0	1191	1029	0
LOWER	1085	826	904	1009	754	0	487	748	693	408	777	696	591	765	622	0	852	0	666	444	0
FEMALE	137	184	210	187	25	4	8	15	13	14	19	11	8	17	8	0	8	0	12	9	0
SIR	1204	1058	1018	984	1261	2218	777	847	651	1012	1041	650	784	811	577	0	795	0	680	913	0
UPPER	1427	1226	1168	1138	1862	0	0	1409	1121	1711	1621	1171	0	1292	0	0	0	0	1196	0	0
LOWER	1014	913	887	850	818	0	0	471	342	548	626	317	0	471	0	0	0	0	345	0	0
189. KIDNEY, PELVIS AND OTHER UNSPEC URINARY ORGANS																					
MALE	277	349	302	396	35	4	21	41	35	27	33	37	17	35	28	6	30	2	46	25	5
SIR	985	1060	972	1136	808	747	881	1062	813	935	735	893	718	754	841	870	1120	2687	1237	979	495
UPPER	1110	1179	1089	1255	1126	0	1344	1445	1134	1362	1035	1234	1145	1051	1216	0	1602	0	1655	1446	0
LOWER	874	953	867	1028	565	0	546	766	569	618	508	631	417	528	561	0	759	0	910	635	0
FEMALE	177	215	188	247	22	1	14	18	17	12	16	20	11	25	14	2	12	0	25	8	3
SIR	1111	1081	880	1117	928	418	1057	882	751	755	701	955	874	949	807	657	839	0	1203	609	975
UPPER	1290	1238	1018	1268	1404	0	1789	1388	1197	1328	1132	1471	1574	1402	1366	0	1477	0	1776	0	0
LOWER	956	944	761	984	583	0	573	522	436	384	399	583	427	616	438	0	427	0	781	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
190. EYE																					
MALE	27	39	22	32	9	0	0	2	5	5	9	2	2	1	7	2	3	0	5	7	1
SIR	881	1187	714	891	2023	0	0	527	1178	1706	1948	471	808	202	1997	2628	1031	0	1313	2513	877
UPPER	1284	1627	1080	1261	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	583	848	448	612	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	25	28	19	23	4	1	2	4	2	0	1	4	3	4	6	0	1	0	3	0	0
SIR	1132	1197	762	839	1330	3157	1113	1682	759	0	346	1497	1829	1149	2651	0	505	0	1161	0	0
UPPER	1671	1732	1187	1259	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	735	798	459	533	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
191. BRAIN																					
MALE	238	219	187	242	28	7	16	16	22	13	27	25	21	40	20	4	24	1	25	15	2
SIR	1074	1055	954	1020	949	1907	909	700	850	691	879	893	1264	1173	843	740	1135	1648	1002	769	227
UPPER	1222	1207	1103	1160	1374	0	1468	1130	1286	1191	1280	1319	1930	1602	1299	0	1688	0	1480	1279	0
LOWER	944	922	824	898	633	0	517	398	534	364	581	580	784	842	515	0	729	0	650	428	0
FEMALE	163	150	199	196	21	5	7	22	13	16	18	22	12	22	13	4	11	0	13	11	1
SIR	996	919	1175	1018	987	2162	540	1332	714	1180	860	1144	1029	875	799	1201	742	0	711	833	272
UPPER	1164	1081	1353	1173	1506	0	0	2016	1230	1905	1355	1730	1810	1323	1376	0	1336	0	1225	1501	0
LOWER	851	780	1020	882	611	0	0	836	376	671	509	718	523	549	420	0	362	0	374	407	0
192. CRANIAL NERVES, SPINAL CORD, MENINGES & UNSPEC PART																					
MALE	13	5	13	12	1	0	2	1	0	1	0	1	0	0	2	0	1	0	2	0	0
SIR	1224	559	1515	1103	745	0	2370	1033	0	1193	0	795	0	0	1818	0	999	0	1795	0	0
UPPER	2110	0	2611	1941	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	644	0	797	561	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	13	7	5	9	1	0	1	0	0	0	0	2	1	2	1	0	2	0	0	0	1
SIR	1476	921	644	966	939	0	1473	0	0	0	0	2078	1668	1534	1205	0	2468	0	0	0	4611
UPPER	2543	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	776	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
193. THYROID GLAND																					
MALE	58	37	52	62	8	0	2	5	5	5	10	7	6	3	10	2	8	0	2	4	2
SIR	1065	754	1082	1079	1125	0	462	956	850	1132	1364	1051	1483	363	1760	1492	1553	0	338	838	839
UPPER	1386	1042	1430	1393	0	0	0	0	0	0	2522	0	0	0	3254	0	0	0	0	0	0
LOWER	816	533	816	834	0	0	0	0	0	0	634	0	0	0	818	0	0	0	0	0	0
FEMALE	161	124	137	173	14	0	10	11	12	6	13	6	6	16	8	0	10	1	18	5	10
SIR	1092	1000	1050	1123	807	0	904	927	915	581	762	382	627	767	602	0	752	3433	1253	442	2814
UPPER	1278	1196	1245	1306	1366	0	1671	1669	1609	0	1314	0	0	1238	0	0	1391	0	1973	0	5202
LOWER	933	835	885	965	437	0	420	452	465	0	401	0	0	436	0	0	350	0	741	0	1308

233

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
194. OTHER ENDOCRINE GLANDS																					
MALE	22	13	10	15	0	0	1	0	3	1	1	2	3	1	2	0	1	0	0	1	0
SIR	1369	1068	882	983	0	0	816	0	1996	838	507	1109	2687	422	1239	0	645	0	0	713	0
UPPER	2071	1840	1630	1635	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	859	562	410	547	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	18	8	9	11	1	0	1	1	1	0	0	1	1	1	3	0	2	0	0	1	0
SIR	1445	864	965	898	689	0	1032	1045	937	0	0	747	1162	536	2540	0	1738	0	0	962	0
UPPER	2275	0	0	1617	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	855	0	0	438	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
199. UNSPECIFIED SITE																					
MALE	359	379	379	426	38	4	15	40	63	34	58	53	24	55	41	5	33	1	57	20	6
SIR	1176	935	962	1019	732	629	547	816	1167	957	1090	1060	853	1030	1051	651	1140	1365	1277	697	607
UPPER	1305	1035	1066	1122	1007	0	910	1115	1503	1340	1420	1398	1269	1351	1430	0	1604	0	1668	1074	0
LOWER	1059	844	869	926	520	0	304	586	904	665	835	802	548	783	758	0	788	0	976	426	0
FEMALE	288	324	464	487	45	4	22	34	45	22	49	36	36	53	35	7	26	1	38	31	3
SIR	1072	815	982	1113	980	954	915	842	987	692	1158	918	1521	1089	1089	1366	1092	1527	933	1345	679
UPPER	1205	910	1077	1217	1315	0	1384	1180	1324	1047	1540	1273	2111	1437	1517	0	1602	0	1284	1913	0
LOWER	953	730	896	1017	718	0	574	586	723	434	860	645	1070	824	762	0	716	0	663	918	0
200., 201., 202.0, 202.1, 202.2, 202.8, 202.9 ALL LYMPHOMAS																					
MALE	439	465	516	607	77	9	36	67	55	35	56	58	41	68	39	7	31	1	56	36	8
SIR	943	952	1091	1125	1149	1091	938	1214	893	805	811	911	1100	916	745	610	701	840	989	861	445
UPPER	1036	1044	1190	1219	1444	0	1301	1552	1171	1121	1061	1186	1496	1169	1021	0	997	0	1294	1195	0
LOWER	858	868	999	1038	913	0	660	948	679	563	618	698	793	717	532	0	478	0	754	606	0
FEMALE	372	434	509	537	52	3	31	47	43	34	48	43	20	69	30	8	34	0	44	19	4
SIR	983	983	1050	1070	962	551	1002	1060	871	958	925	900	696	1133	755	1087	998	0	936	618	525
UPPER	1089	1081	1147	1166	1272	0	1425	1413	1177	1341	1230	1215	1072	1443	1079	0	1398	0	1260	962	0
LOWER	886	894	962	983	726	0	684	782	633	666	685	654	425	888	511	0	694	0	683	372	0
200. DIFFUSE NON-HODGKIN'S LYMPHOMAS																					
MALE	266	319	345	370	53	5	20	50	32	20	36	31	31	46	22	5	20	1	35	16	8
SIR	937	1001	1112	1069	1232	947	830	1353	779	703	814	754	1304	987	662	711	743	1429	958	619	774
UPPER	1058	1119	1238	1186	1624	0	1280	1799	1102	1083	1129	1072	1854	1321	1001	0	1145	0	1335	1000	0
LOWER	829	896	999	965	932	0	507	1015	535	429	573	514	890	726	415	0	454	0	670	353	0
FEMALE	222	290	341	357	35	3	17	29	30	19	26	31	12	47	14	6	20	0	31	11	2
SIR	966	992	1050	1092	1006	872	878	974	906	812	785	1014	653	1221	554	1353	973	0	1015	579	462
UPPER	1104	1114	1169	1212	1402	0	1399	1401	1295	1265	1151	1442	1149	1629	936	0	1499	0	1443	1042	0
LOWER	845	882	943	983	703	0	510	655	614	489	514	692	332	901	300	0	594	0	692	283	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
201. HODGKINS DISEASE																					
MALE	69	48	63	84	9	2	8	4	6	7	10	11	4	9	7	1	6	0	9	9	0
SIR	905	805	1085	1166	1022	1814	1407	698	926	1333	1090	1334	777	819	954	531	822	0	1238	1357	0
UPPER	1153	1070	1398	1451	0	0	0	0	0	0	2015	2403	0	0	0	0	0	0	0	0	0
LOWER	710	596	841	936	0	0	0	0	0	0	507	651	0	0	0	0	0	0	0	0	0
FEMALE	55	48	49	50	6	0	5	5	0	8	3	3	2	6	2	0	5	0	4	3	2
SIR	1055	1127	1079	953	1024	0	1294	1309	0	2321	514	560	613	808	429	0	1035	0	813	731	1526
UPPER	1384	1499	1434	1266	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	802	835	802	714	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
202.0 NODULAR LYMPHOMAS																					
MALE	72	74	87	100	10	2	5	8	13	5	8	12	5	9	8	1	4	0	8	8	0
SIR	925	943	1172	1145	918	1487	797	909	1313	718	710	1169	831	745	939	533	541	0	871	1171	0
UPPER	1172	1190	1453	1398	1698	0	0	0	2262	0	0	2056	0	0	0	0	0	0	0	0	0
LOWER	729	745	945	936	427	0	0	0	691	0	0	594	0	0	0	0	0	0	0	0	0
FEMALE	72	75	90	88	10	0	5	9	12	5	14	6	5	12	12	2	8	0	8	4	0
SIR	973	941	1069	961	993	0	857	1114	1337	773	1435	669	933	1059	1618	1444	1202	0	922	687	0
UPPER	1233	1186	1321	1190	1836	0	0	0	2353	0	2427	0	0	1863	2847	0	0	0	0	0	0
LOWER	767	745	865	775	462	0	0	0	680	0	778	0	0	538	822	0	0	0	0	0	0
202.1, 202.2, 202.8, 202.9 OTHER LYMPHOMAS																					
MALE	32	24	21	53	5	0	3	5	4	3	2	4	1	4	2	0	1	0	4	3	0
SIR	1155	755	684	1557	1171	0	1284	1350	971	1064	457	985	430	881	614	0	381	0	1100	1197	0
UPPER	1634	1124	1045	2053	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	793	485	424	1178	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	23	21	29	42	1	0	4	4	1	2	5	3	1	4	2	0	1	0	1	1	0
SIR	1014	786	957	1371	302	0	2149	1490	331	916	1591	1030	571	1088	835	0	495	0	348	545	0
UPPER	1521	1200	1376	1858	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	644	487	643	992	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
202.3, 202.5, 202.6 TUMORS OF HISTIOCYTIC TISSUE																					
MALE	0	1	3	3	0	0	0	0	0	0	0	0	2	1	0	0	0	0	1	0	0
SIR	0	606	1837	1349	0	0	0	0	0	0	0	0	11828	2800	0	0	0	0	4234	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	2002	2496	1150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

235

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

		CURB SUB-REGIONS																			
SITE	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
203. MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS																					
MALE	160	171	166	182	22	4	10	25	17	14	23	12	11	29	17	2	13	1	8	14	1
SIR	1187	984	993	1011	982	1453	839	1197	736	921	999	558	909	1249	1008	597	1016	2944	416	1117	222
UPPER	1390	1145	1159	1172	1486	0	1551	1768	1173	1557	1499	981	1637	1796	1606	0	1750	0	0	1889	0
LOWER	1014	844	850	872	617	0	390	777	428	499	635	284	444	839	585	0	534	0	0	605	0
FEMALE	112	124	182	189	12	0	6	15	20	10	16	14	10	16	11	2	7	0	10	5	2
SIR	1079	837	1071	1166	704	0	663	992	1178	849	1000	948	1128	872	910	1029	755	0	660	569	1128
UPPER	1303	1001	1241	1348	1239	0	0	1649	1816	1569	1615	1604	2086	1409	1638	0	0	0	1221	0	0
LOWER	892	699	923	1009	358	0	0	551	720	395	569	514	525	497	444	0	0	0	307	0	0
204., 205., 206.1, 207., 208. ALL LEUKAEMIAS																					
MALE	385	377	464	486	42	10	22	61	51	46	59	48	33	68	41	8	30	0	54	16	7
SIR	1024	885	1124	1052	731	1406	684	1219	916	1198	998	871	1038	1090	919	853	839	0	1101	464	534
UPPER	1133	980	1232	1151	991	2599	1035	1576	1215	1602	1296	1158	1460	1391	1251	0	1200	0	1448	749	0
LOWER	925	799	1025	962	529	654	429	940	689	881	766	645	717	853	663	0	569	0	835	264	0
FEMALE	243	305	353	371	38	4	28	34	32	28	38	32	21	45	25	3	23	0	37	13	4
SIR	943	988	998	1046	990	1047	1292	1090	910	1093	1047	949	1022	1041	888	582	990	0	1106	601	767
UPPER	1071	1106	1110	1160	1362	0	1870	1527	1288	1582	1441	1343	1561	1397	1312	0	1485	0	1528	1035	0
LOWER	830	881	898	944	703	0	862	758	625	729	744	652	634	763	577	0	629	0	782	316	0
204. ALL LYMPHOID LEUKAEMIAS																					
MALE	190	205	251	234	20	3	14	35	29	23	26	24	17	30	22	4	13	0	25	5	3
SIR	962	959	1232	994	684	819	838	1392	1031	1179	859	854	1045	926	955	816	691	0	999	278	446
UPPER	1112	1103	1397	1132	1054	0	1418	1940	1483	1768	1260	1271	1665	1325	1445	0	1190	0	1476	0	0
LOWER	833	835	1087	873	418	0	454	973	693	749	563	549	607	627	600	0	363	0	649	0	0
FEMALE	133	144	179	182	18	2	17	16	12	13	20	19	11	28	13	1	14	0	20	8	1
SIR	1001	923	1023	1010	919	996	1513	1000	670	991	1072	1097	1037	1250	891	368	1163	0	1170	707	362
UPPER	1190	1090	1187	1171	1448	0	2412	1615	1179	1708	1653	1708	1868	1809	1535	0	1968	0	1804	0	0
LOWER	841	781	881	871	544	0	879	569	341	521	655	660	506	834	469	0	630	0	715	0	0
204.0 ACUTE LYMPHATIC LEUKAEMIA																					
MALE	54	53	38	71	3	2	2	4	5	5	4	6	4	6	9	2	5	0	6	0	0
SIR	865	1285	945	1245	422	2161	411	889	952	1107	537	875	926	645	1428	1281	835	0	1004	0	0
UPPER	1137	1695	1300	1580	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	656	972	672	979	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	47	30	33	46	5	0	5	4	2	4	6	9	4	8	5	0	7	0	7	0	1
SIR	963	904	945	993	897	0	1307	1164	518	1171	1089	1729	1202	1082	1075	0	1534	0	1505	0	746
UPPER	1284	1292	1330	1329	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	710	612	653	730	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

SITE	CURB SUB-REGIONS																				
	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
204.1 CHRONIC LYMPHATIC LEUKAEMIA																					
MALE	136	152	213	163	17	1	12	31	24	18	22	18	13	24	13	2	8	0	19	5	3
SIR	1008	882	1303	914	767	365	1014	1501	1049	1200	964	848	1088	1040	777	599	624	0	998	400	661
UPPER	1196	1036	1493	1069	1223	0	1784	2134	1561	1890	1458	1335	1874	1547	1339	0	0	0	1554	0	0
LOWER	849	749	1137	782	446	0	515	1024	674	710	605	502	572	668	409	0	0	0	601	0	0
FEMALE	86	114	146	136	13	2	12	12	10	9	14	10	7	20	8	1	7	0	13	8	0
SIR	1023	929	1042	1016	928	1511	1619	955	712	928	1065	825	962	1332	805	626	937	0	1045	1116	0
UPPER	1270	1120	1229	1206	1600	0	2849	1681	1316	0	1802	1526	0	2054	0	0	0	0	1802	0	0
LOWER	823	769	883	856	488	0	823	486	331	0	577	384	0	814	0	0	0	0	550	0	0
205. ALL MYELOID LEUKAEMIAS																					
MALE	157	150	172	200	18	6	6	20	20	19	25	20	11	33	17	3	14	0	26	10	3
SIR	1053	868	1017	1078	781	2115	469	993	897	1237	1056	906	864	1331	958	804	991	0	1323	728	553
UPPER	1235	1021	1184	1241	1230	0	0	1531	1383	1927	1559	1397	1555	1874	1528	0	1677	0	1940	1346	0
LOWER	898	737	873	936	462	0	0	607	548	745	685	554	421	920	557	0	537	0	867	339	0
FEMALE	100	141	139	156	18	2	8	17	16	13	15	13	10	15	12	1	8	0	16	5	3
SIR	907	1084	928	1046	1113	1262	881	1318	1094	1221	983	918	1166	831	1023	465	807	0	1140	552	1345
UPPER	1108	1282	1099	1227	1753	0	0	2101	1767	2105	1635	1582	2156	1383	1800	0	0	0	1841	0	0
LOWER	742	916	783	891	659	0	0	766	623	642	547	483	542	462	520	0	0	0	649	0	0
205.0 ACUTE MYELOID LEUKAEMIA																					
MALE	118	122	124	135	13	4	5	19	14	14	19	16	8	21	12	1	9	0	20	9	2
SIR	1098	951	983	987	764	1914	535	1259	839	1225	1088	980	854	1159	922	372	884	0	1376	904	528
UPPER	1319	1140	1176	1172	1317	0	0	1961	1418	2072	1695	1582	0	1770	1622	0	0	0	2120	0	0
LOWER	912	793	821	831	402	0	0	758	454	664	655	558	0	719	469	0	0	0	841	0	0
FEMALE	76	105	102	114	14	1	7	12	12	8	13	6	7	9	9	1	5	0	12	4	3
SIR	943	1098	925	1039	1179	859	1051	1264	1116	1022	1160	577	1111	679	1044	634	689	0	1165	602	1848
UPPER	1187	1334	1127	1254	1994	0	0	2225	1964	0	2000	0	0	0	0	0	0	0	2049	0	0
LOWER	748	902	758	861	639	0	0	643	567	0	610	0	0	0	0	0	0	0	592	0	0
205.1 CHRONIC MYELOID LEUKAEMIA																					
MALE	39	28	48	65	5	2	1	1	6	5	6	4	3	12	5	2	5	0	6	1	1
SIR	938	629	1115	1334	829	2679	290	198	1070	1272	965	698	891	1798	1058	1923	1269	0	1174	265	612
UPPER	1285	910	1482	1712	0	0	0	0	0	0	0	0	0	3164	0	0	0	0	0	0	0
LOWER	670	419	826	1038	0	0	0	0	0	0	0	0	0	914	0	0	0	0	0	0	0
FEMALE	24	36	37	42	4	1	1	5	4	5	2	7	3	6	3	0	3	0	4	1	0
SIR	809	1046	936	1062	931	2382	413	1468	1034	1775	493	1860	1317	1253	964	0	1131	0	1072	415	0
UPPER	1203	1451	1294	1440	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	519	736	662	769	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

237

TABLE A7: NEW CASES OF CANCER - STANDARDIZED INCIDENCE RATIOS (SIR) WITH UPPER AND LOWER 95% CONFIDENCE LIMITS (01/77-12/98) - BY SITE AND SEX AND BY PERCENTAGE FOR SOUTH AUSTRALIAN C.U.R.B. SUB-REGIONS. (S.A. = 100)

1 IMPLIED DECIMAL PLACE FOR RATIOS (E.G. 9999 = 999.9)

		CURB SUB-REGIONS																			
SITE	CR1	CR2	CR3	CR4	CR5	CR6	CR7	CR8	CR9	CR10	CR11	CR12	CR13	CR14	CR15	CR16	CR17	CR18	CR19	CR20	CR21
206.1 CHRONIC MONOCYTTIC LEUKAEMIA																					
MALE	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
SIR	0	1694	0	1652	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14939	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIR	0	0	2321	1538	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
207. OTHER SPECIFIED LEUKAEMIAS																					
MALE	37	19	31	44	3	1	2	6	0	4	8	4	5	5	1	1	2	0	2	1	1
SIR	1438	558	906	1245	680	1878	863	1465	0	1319	1783	938	2074	1108	303	1550	818	0	530	413	1181
UPPER	1987	869	1288	1676	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	1017	336	618	909	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	8	14	28	24	2	0	3	0	4	1	3	0	0	2	0	1	1	0	1	0	0
SIR	697	784	1268	1216	973	0	2829	0	1955	696	1611	0	0	930	0	4531	985	0	548	0	0
UPPER	0	1325	1836	1809	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	425	846	781	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
208. UNSPECIFIED CELL LEUKAEMIAS																					
MALE	1	2	10	7	1	0	0	0	2	0	0	0	0	0	1	0	1	0	0	0	0
SIR	292	416	1969	1390	1582	0	0	0	3082	0	0	0	0	0	2150	0	3100	0	0	0	0
UPPER	0	0	3641	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	916	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	6	5	8	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
SIR	712	1378	867	1620	0	0	0	2308	0	2722	0	0	0	0	0	0	0	0	0	0	0
UPPER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
*****TOTAL																					
MALE	10329	11796	11381	13821	1434	185	746	1548	1531	944	1553	1423	801	1621	1222	226	1005	25	1418	932	167
SIR	1048	967	968	1079	903	945	866	1068	955	882	951	935	923	968	1011	917	1075	1019	1042	1022	492
UPPER	1069	984	986	1098	952	1094	931	1123	1004	940	999	985	990	1016	1070	1047	1144	1504	1098	1090	574
LOWER	1028	949	950	1062	857	816	805	1016	908	827	904	887	861	922	956	803	1010	661	989	957	421
FEMALE	8682	9211	10860	12379	1192	111	673	1123	1110	757	1079	1026	612	1251	940	160	771	11	1091	661	111
SIR	1025	919	991	1091	973	902	973	1106	980	937	919	949	942	917	1051	992	1016	593	1024	964	661
UPPER	1047	938	1010	1111	1030	1090	1050	1173	1040	1007	976	1009	1021	970	1121	1162	1091	1067	1087	1041	799
LOWER	1004	900	973	1072	919	745	901	1042	924	872	865	892	870	867	986	847	946	289	964	893	546
*****PERCENTAGE																					
MALE	16.1	18.4	17.8	21.6	2.2	0.3	1.2	2.4	2.4	1.5	2.4	2.2	1.2	2.5	1.9	0.4	1.6	0.0	2.2	1.5	0.3
FEMALE	16.1	17.1	20.2	23.0	2.2	0.2	1.3	2.1	2.1	1.4	2.0	1.9	1.1	2.3	1.7	0.3	1.4	0.0	2.0	1.2	0.2

TABLE A8

Estimated age distribution of the population, South Australia 1998.

TABLE A 8

*Estimated age distribution of the population, South Australia 1998**

<i>Age group (yrs.)</i>	<i>Males</i>	<i>Females</i>
0-4	48,723	46,254
5-9	51,271	48,270
10-14	51,962	49,498
15-19	50,740	48,366
20-24	51,886	49,298
25-29	55,234	53,676
30-34	54,401	53,786
35-39	58,191	58,907
40-44	55,161	55,578
45-49	52,310	53,087
50-54	47,029	47,264
55-59	35,909	35,921
60-64	30,753	31,811
65-69	29,152	30,849
70-74	26,627	30,813
75-79	18,923	25,727
80-84	10,574	17,257
85 and over	6,553	15,533
TOTAL	735,399	751,895

* *Australian Bureau of Statistics*

